




SANITARY CONTROLS, Inc.

225 Marcus Boulevard, Deer Park, New York 11729



**SANITARY CONTROLS
FRONT LOADER**



SANITARY CONTROLS


FRONT LOADER

This is not just another front loader . . . it's an entirely new system that can lift up to 10,000 lbs. and compact 50% greater payloads into the same length body. This revolutionary system provides a more profitable operation by covering larger collection routes and reducing the number of trips to the disposal area, all with similar size equipment.

Contractors have waited a long time for such equipment. Sanitary Controls now brings it to you.

- 116,900 lb. compaction force.
- Up to 50% greater payloads.
- Interchangeable bolt-on arm assembly with 10,000 lb. lift capacity.
- Fully welded body.
- Faster cycling.

Standard automatic hydraulically activated hopper cover.



Manual over-center tailgate lock assembly. Optional; hydraulically operated tailgate lock assembly controlled from the cab.

Cab-o-scope.



Lift arm rest assembly to take the load off the hydraulic system.



Interchangeable bolt-on arm assembly- with 10,000 lb. lift capacity.

35 cu. yd. high compaction body with 116,900 lb. compaction force.



Standard hydraulically operated, top hinged tailgate.




9 1/2" six stage double acting telescopic cylinder, horizontally installed for maximum compacting and ejecting force.

FIRST CLASS
 PERMIT No. 98
 DEER PARK, N. Y.

BUSINESS REPLY MAIL

Postage will be paid by...

SANITARY CONTROLS, Inc.
 225 Marcus Boulevard
 Deer Park, New York 11729






Sani-Pactainers whenever the use of a stationary compactor is limited.



Ejectainers for highly compacted wastes.




Stationary compactors from 1/2 to 11 cubic yards with hydraulic container coupling.




Rear-load containers from one to eight cubic yards.



Sani-Haul one truck with fleet capability, payloads to 60,000 lbs.




Maxi-Brute is the newest of our compactor/container combinations for the big job.



The Mini-Brute — Consists of a 1.5 cubic yard compactor coupled to a 6 cubic yard front or rear load container.



Front-load containers from two to eight cubic yards.



Open and Closed Roll-Off containers from fifteen to forty five cubic yards.

I'm interested in... the Sani-Pac

- | | |
|---|--|
| <input type="checkbox"/> the Sani-Pactainer | <input type="checkbox"/> the Sani-Haul Hoist |
| <input type="checkbox"/> the Sani-Ejectainer | <input type="checkbox"/> the Maxi-Brute |
| <input type="checkbox"/> Front-load push packer | <input type="checkbox"/> the Mini-Brute |
| <input type="checkbox"/> Containers | <input type="checkbox"/> Roll-Offs |
| <input type="checkbox"/> other _____ | |

Please send literature. I'd like to know more about your product line.

Have your representative call me.



Name _____

Company _____

Address _____

Zip _____ Phone _____

We invite you to a closer look at any of our products. Whether it be a 3/4 cubic yard container, a Sani-Pac or a 45 cubic yard roll-off, you will notice marked construction features not readily found on similar equipment. Sanitary Controls can meet all your requirements in refuse handling equipment through its many distributors around the country. Please contact Sanitary Controls for the distributor nearest you.

SANITARY CONTROLS, Inc.
a public corporation

225 Marcus Boulevard, Deer Park
New York 11729 • phone 516/586-2500

Facilities

Sanitary Controls Inc. of Lakeland, Florida
Sanitary Controls Inc. of Detroit, Michigan
Arc Welding Service Co., Inc.
of Baltimore, Maryland
Hercules Container Industries Inc.
of Los Angeles, California

SANITARY CONTROLS INC.

35 cu. yd. FRONT-LOADER

Body Length: 246" Inside 253-½" Overall
Body Width: 84" Inside 96" Overall Outside
Body Height: 84" Inside 102-¼" Overall Above Frame
Side Loading Door: 22" x 27-¾"
Hopper Opening: 84" Wide x 88" Long x 90" Depth
Hopper Door Cylinder: One (1) 4" I.D.
Lift Arms: 10,000 lb. Capacity
Hoisting Clearance: 186" Above Chassis Frame
Lift Arm Cylinder: Two (2) 6" I.D.
Turnover Cylinders: Two (2) 4" I.D.
Hydraulic Tailgate Opener
Tailgate Cylinder: One (1) 3" I.D.
Hydraulic Tailgate Lock Assembly Provided
Tailgate Locking Cylinders: Two (2) 2" I.D. With two (2) Latch Assembly on each side to open back door automatically.
Packing-Ejection Cylinder: One (1) 9-½" I.D., Six (6) Stage 200" Stroke
Pump: 31.59 G.P.M. @ 1200 R.P.M.
Effective Packing Force: 116,900 lbs.
Relief Valve Setting: 1650 P.S.I.
Valving: Four (4) Spool, Double Acting, Self Centering
Oil Reservoir Capacity: 75 Gallons
Drive Mechanism: Combination P.T.O. & Pump
Control: Inside Cab
Cab-O-Scope
Body Floor: 3/16"
Side Sheets: 11 Gauge C-1045 (10 Gauge Optional)
Hopper Cover & Sides: 11 Gauge C-1045
Bracing: Rectangular Steel Tubing and 7 Gauge Channel
Rear Door: 11 Gauge C-1045 sheets with Structural Tubing Framework
Ejection Panel Warning Light
Hopper Cover Warning Light
I.C.C. Lights and Reflectors
Tubular Long Sills
Body Weight 18,000 lbs. to include Lift Arms.

OPTIONAL EQUIPMENT

Hopper Side Shields: Pre-set with Arms
Wash-Out Tank: 75 Gallons
Air Power Take-Off
Ejection Panel Light
Oil Sight Gauge
Body Floor: 1/4"

CHASSIS SPECIFICATION REQUIREMENTS:

Cab to Axle (CA): 156-166" TILT CAB ONLY
Front Axle Rating: 38,000 - 18,000 lbs. with H/D Springs
Rear Axle Rating: 38,000 - 44,000 lbs.
Heavy Duty Power Steering Recommended



SANITARY CONTROLS, Inc. / a public corporation

225 Marcus Boulevard, Deer Park, New York 11729 • telephone 516/586-2500

Plant Facilities

- ARC Welding Service Co., Inc.
2713 North Point Blvd., Baltimore, Md. 21222
- Fabricators Steel Co.
850 East 133rd St., Bronx, N.Y. 10454
- Hercules Container Industries, Inc.
1718 So. Greenwood Ave., Montebello, Calif. 90640
- Sanitary Controls of Detroit
31531 Groesbeck Highway, Fraser, Mich. 48026
- Sanitary Controls of Florida
P.O. Box 93, Lakeland, Florida 33802

Distributed by