



RUBBISH BODIES
ROLL-OFF TRUCKS



DAVID D. DEAN
Sales Manager

(714) 923-0430
(213) 566-1131
1555 S. Cucamonga
Ontario, CA 91761





1. BUBBLE DESIGN
REAR DOOR

2. REAR DOOR
HYDRAULIC CYLINDER

3. OPTIONAL
NAME PLATE

4. OCTAGONAL
TAPERED BODY

5. HOPPER LID

6. WINDSHIELD
WING

7. REFUSE LOADING
PLATFORM
Allows operator to
dump container
regardless of
packer
blade position


8. OVER CAB
ARMS

9. AUTOMATIC
PACKER CONTROLS

10. MANUAL
CONTROL LEVERS

Amrep's uniquely designed Front Loading C
large legal high density pay

PACKER BLADE
CUT AWAY



Refuse loading platform allows operator to dump container regardless of packer blade position.

11. ADJUSTABLE FORKS AVAILABLE

14. PACKER BLADE CYLINDERS

16. High tensile steel T-1 body and floor construction.

12. AMREPS unique CROSS SHAFT design for maximum payload weight and maximum payload. Easy body transfer.

15. PACKER BLADE Smooth face, high efficiency featuring Semi-U Blade

17. FLASHER LIGHTS

13. OUTSIDE MANUAL CONTROL LEVERS

agonal Body allows the operator to get
ads with ease in less time.

THE ORIGINAL OCTAGONAL BODY

Old or new ideas.
Amrep has always
—been there.



AMREP . . . MANUFACTURERS OF THE
INNOVATIVE REFUSE BODIES, NOW APPLY
OUR SAME DESIGN CRITERIA TO THE
AMREP HYDRAULIC ROLL OFF:

. . . HIGH STRENGTH!

EXTEN STEEL USED TO MAINTAIN RIGIDITY, AVOID
EXCESSIVE FLEXING, AND LONGER RELIABILITY!

. . . LIGHT WEIGHT!

EVERY POUND IN THE AMREP ROLL OFF MUST BE FUNCTIONAL
OR ELIMINATED.

. . . CAPACITY!

THE STANDARD ROLL OFF POSITIONS HYDRAULIC
CYLINDERS FOR OPTIMUM EFFICIENCY!

. . . FASTER.

AMREP DESIGN CONSIDERS YOUR NEED FOR SPEED
AT THE JOB SITE FOR LESS TRAFFIC FLOW
INTERRUPTION AND MORE PRODUCTIVITY!

. . . COST EFFECTIVE!

AMREP REEVING CYLINDERS MEAN LESS
DANGEROUS CABLE WEAR AND REDUCES
THE FREQUENCY OF EXPENSIVE
REPLACEMENT CABLES!

***Patent**
All rights reserved 1984



- 8" HEAD PULLEY WITH ROLLER BEARINGS

- 4x12-3/8 HEAVY DUTY HIGH STRENGTH RAILS

- CHASSIS MOUNTED LARGE CAPACITY HYDRAULIC RESERVOIR

- 5 CROSS MEMBERS

- REAR BUMPER AND TAILLIGHT BAR

- TILT FRAME TAIL LIGHTS

- DUAL HYDRAULIC REEVING CYLINDERS

- 3 SETS OF 4x4 ZERK FITTED ROLLERS

- HOIST CYLINDERS LOWER PIVOT POINT LOCATED AT FRONT REAR BOGIE

- SEAMLESS MECHANICAL HYDRAULIC TUBING

- CHOICE OF RING OR HOOK AVAILABLE ON REQUEST

- A CHOICE OF AIR SHIFT, HOT SHIFT OR FRONT MOUNTED PUMP AVAILABLE.

- QUICK LIFT OF UP TO 24' CONTAINERS

- DUMP ANGLE TO 46°

- STANDARD 12" TUBULAR FRAME



Concerned about your future growth?
...so is Amrep



1555 S. CUCAMONGA AVE.
ONTARIO, CA 91761
714-923-0430