

**Refuse compactor container
with a container volume
of 15 and 20 cbm**

Refuse compactor container with a container volume of 15 and 20 cbm




As one of the leading manufacturers of communal truck bodies, Messrs. Fahrzeugbau Haller GmbH also produces refuse compactor containers. More than 300 Haller refuse compactor containers are already in use with local authorities, industrial companies, large stores, hospitals, and wholesale markets throughout the Federal Republic of Germany and abroad and have proved their value.

The standard sizes with container volumes of 15 and 20 cbm have the same dimensions as commercially available roll-off troughs and require only a small amount of space due to their compact construction. Neither foundations nor concrete safety troughs are necessary for installation – all that is needed is a power outlet socket and the refuse compactor container is ready for use. The unit has been tested by the Accident Prevention Society and is certified for operation by untrained personnel. It is easily operated and – above all, without any difficulties, by means of push-buttons mounted laterally at the container. The key switch prevents operation of the unit by unauthorized persons. The container is filled via the low, large charging hole on the end. Due to the patented electric and hydraulic system mounted in the compacting shovel, the time-consuming connection and disconnection of hydraulic hoses required in the case of a separately mounted hydraulic unit can be dispensed with.

Transport and discharge of the refuse compactor containers is carried out with roll-off tippers. The conical shape of the container guarantees simple and rapid discharge. Various accessories expand the range of applications.

The refuse compactor container with the hydraulic unit mounted on top of the container permits filling from ramps.

A liquid-proof version permits special applications.



Technical Data

- 1** Oil level sight glass
- 2** Push-button "press"
- 3** Push-button "open"

Pressing force: 34 t
 Working volume: 0.9 m³
 Filling height: 1200 mm
 Filling width: 1300 mm
 Time for one pressing cycle: 32 seconds
 Electric motor: 3 kW, 380 V

Dead weight: approx. 3050 kg (approx. 3790 kg)
 Means of transportation for the MPB H 15: Two-axle roll-off tipper
 Means of transportation for the MPB H 20: Three-axle roll-off tipper
 Paint finish: Inside: Two-component hard lacquer.
 Outside: Synthetic enamel, bright orange,
 RAL 2000 or according to your specifications.

The different specifications in parentheses are those of the container with a capacity of 20 cbm.



Picking up, transport, and discharge by roll-off tippers.



Our production program

- Refuse truck for domestic refuse
- Compact refuse truck for domestic refuse, bulky refuse, business refuse, trade and industrial waste
- Compact refuse truck for bulky refuse and for mounting of dump troughs
- Large-volume refuse transporter for reloading stations
- Refuse compactor container, which can be set down by means of set-down or sliding tipper, for stationary operation
- Refuse container cleaning truck for standardized refuse containers
- Suction truck, suction truck trailer and suction truck semitrailer for thick- and thin-flowing sludge and for cleaning of sewers and catch pits
- High pressure flushing truck for rational and hygienic sewer cleaning
- High-pressure flushing and suction truck for sewer cleaning and simultaneous sludge removal
- Street washing truck
- Tunnel washing truck
- Lavatory container, can be set down by means of slide tipper



Fahrzeugbau Haller GmbH

Mauserstraße 20

Postfach 300420

D-7000 Stuttgart 30 (Feuerbach)

Telefon 0711/8991-1, Telex 07252134

An association of companies:

HALLER-Behälterbau oHG
Industriestraße
D-8801 Wetzlingen Krs. Ansbach
Telefon 09869/330

NKF Leichtmetallbau
Rigistraße 1-3
D-1000 Berlin (West) 48
Telefon 030/7216071, Telex 0185405