


### PHOENIX PH 2M BODY DIMENSIONS



MODEL		SERIES 2M			PHOENIX PH			
Size		2M8	2M10	2M12	PH15	PH20	PH23	PH28
Net Body Capacity	cu. yd.	10	13	16	20	25	30	35
A Platform Length	in.	107	137	158	150	195	215	260
B Overall Length	in.	168	198	219	225	270	290	335
CA CA Minimum	in.	85	115	136	128	—	—	—
CT CT Minimum	in.	—	—	—	—	151	171	216
Cab-Body Minimum	in.	4	4	4	4	8	8	8
DA AF Cut off (minimum)	in.	26	26	26	26	—	—	—
DT AT Cut off (minimum)	in.	—	—	—	—	—	—	—
E Ground Clearance	in.	14 min.	14	14	16 min.	52	52	52
F Body Height	in.	87	87	87	91	91	91	91
G Body Width	in.	80	80	80	96	96	96	96
Hopper Capacity	cu. yd.	2	2	2	3	3	3	3
H Hopper Length	in.	61	61	61	75	75	75	75
J Hopper Opening (V)	in.	65	65	65	67	67	67	67
K Hopper Opening (H)	in.	72	72	72	84	84	84	84
L Load Rail (to chassis)	in.	+2	+2	+2	-2	-2	-2	-2
ME CG Equipment	in.	69.7	95.7	111.4	110.3	137	150.2	161.4
MR CG Refuse	in.	64.2	79.5	90.5	82.3	105	115.4	136.8
Hopper Raised (above chassis)	in.	122	122	122	142	142	142	142
Body Weight	lb.	8100	8600	9300	10500	11700	12300	13800
Normal Compaction	lbs./cu. yd.	1000-1200			800-1000			
Payload Rating	lb.	12000	15000	18000	20000	25000	30000	35000
GVWR Chassis Range*	lb.	26000	30000	32000	35000	44000	50000	60000
		28000	32000	35000	39000	48000	56000	Plus

\*Subject to State/Provincial regulations, chassis manufacturers requirements.

JAEGER CANADA EQUIPMENT LTD.

43 Gaylor Rd., St. Thomas, Ontario, Canada N5P 3S1 Phone (519) 631-5100

Tx 064-73535