

300 Series




The Versatile Machine

Residential • Municipal • Commercial

Dependable Service
Heavy Duty Construction

Large 2 Cu. Yd. Hopper Unsurpassed Reputation

LOADMASTER 300 Series Rear Loader



Dimensions

LOAD- MASTER MODEL	CAPACITY CU. YDS.	A INS.	B INS.	CA INS.	AH INS.	L INS.	WT. LBS. APPROX.	HOPPER CAPACITY CU. YDS. LOADED
LM-316	16	149	85	106	36	202	10,800	2
LM-318	18	149	85	128	36	222	11,300	2
LM-320	20	149	85	138	36	235	11,500	2

Container Handling Devices

The most efficient rear-loader container handling system available! Quick, smooth, positive, efficient —simple to maintain. Works totally independent of packing cycle. Single overhead double-acting hydraulic cylinder, with capabilities to fit your day-to-day needs. Model ranges as follows:

Model 1-2 — 1 to 2 yard containers Model 2-6 — 2 to 6 yard containers Model 1-6 — The complete range

BASIC LOAD-MASTER LM-300 SERIES DATA

Body

Floor 11 gauge High Tensile
Sides 11 gauge High Tensile
Roof 11 gauge High Tensile
Understructure of Body — Full Width
Crossmembers Integral with Body Floor

Tailgate

Hopper Floor ... 1/4" High Tensile
Packing Plate ... 1/4" High Tensile
Hopper Sides ... 11 ga. High Tensile
Hopper Capacity ... 2 cu. yds.
Loading Height ... 4" Below Frame

Note: Truck equipped with diesel engine requires variable speed governor.

Hydraulic Systems

27 G.P.M. Gear Pump Multiple Balanced Spool-type valves with Adjustable Cartridge Relief All Cylinders—Chrome plated Plunger Rods

† Specifications subject to change without notice.

Compare These Features with the Unit You're Now Using

Manufactured By:

Distributed Locally By:



P.O. Box 1006/Culpeper, Virginia 22701 703-825-3940

A Division of Hackney Industries, Inc.