



Shelvoke and Drewry Limited . Letchworth . Hertfordshire



Municipal Bins & Sackholde



plastic dustbins

Two distinct types of plastic bins are marketed by Shelvoke and Drewry Limited. These are the 'HDP' series for heavy municipal use, of blow moulded construction available in $2\frac{1}{2}$ cu/ft (0·07cu/m), $3\frac{1}{4}$ cu/ft (0·09cu/m) and 4 cu/ft (0·11cu/m) capacities. Also available in $3\frac{1}{4}$ cu/ft (0·09cu/m) capacity is the popular 'New Starlite' bin of lightweight construction providing easy handling with inherent strength.

Both types feature heavy duty one piece bonded lifting handles and are tapered to facilitate nesting.

plastic sackholders

Following the trend towards the widespread use of sackholders, Shelvoke and Drewry Limited, offer a choice of types and capacities.

The 'Startub' sackholder available in $3\frac{1}{4}$ cu/ft (0.09cu/m) or 4cu/ft (0.11cu/m) capacities is fitted with integral lifting handles on the $3\frac{1}{4}$ cu/ft model, with hand recesses on the 4cu/ft model and a 5" (127mm) diameter hole in the base to prevent condensation.

The $3\frac{1}{4}$ cu/ft (0·09cu/m) and 4cu/ft (0·11cu/m) 'Appollo' sack holders are of advanced design featuring a fully open base and reverse tapered sides to allow for discharge of the full sack by raising the sackholder body. Lifting is facilitated by hand recesses and in common with the 'Startub' types, 'Rubbertex' lids are supplied.

5...

galvanised dustbins

The 'B.S.S.' range of bins designed for ease of handling, feature tapered sides to allow for easy nesting—resulting in an important space saving.

To ensure maximum strength, heavy duty lifting handles are fitted and bins are galvanised after construction to give a long trouble free life.

Three capacities are offered, 2cu/ft(0.05cu/m), $2\frac{1}{2}cu/ft(0.07cu/m)$ and $3\frac{1}{4}$ cu/ft(0.09cu/m).

choice of lids

To facilitate standardisation, a complete range of 'Rubbatex' pattern heavy duty rubber lids are available for all SD Municipal bins and sackholders. Flexible and of light weight yet strong and silent in use, 'Rubbatex' lids provide the answer to trouble free service.

Standard galvanised pattern lids are also available, primarily for use with 'B.S.S' bins.

Type of lid should be specified when ordering.



Bin Type	Capacity	Top Diameter	Bottom Diameter	Weight	Height
	cu/ft cu/m	ins mm	ins mm	lbs kgs	ins mm
New Starlite	3.25 0.09	18 457	16 406	7 3·17	24 610
HDP	2.5 0.07	18 457	16 406	6·75 3 ·06	20 508
HDP	3.25 0.09	18 457	16 406	7·5 3·40	24 610
HDP	4 0.11	18 457	16 406	8·25 3·74	30 762
Startub	3.25 0.09	18 457	16 406	7 3 ·17	24 610
Startub	4 0.11	18 457	16 406	8·25 3·74	30 762
Appollo	3.25 0.09	16 406	18 457	7 3 ·17	22 559
Appollo	4 0.11	16 406	18 457	8·25 3·74	28.5 724
B.S.S.	2 0.05	16 406	14 356	20 9.07	20 508
B.S.S.	2.5 0.07	17 432	15 381	23 10-43	22 559
B.S.S.	3.25 0.09	18 457	16 406	28 12.70	24 610

Lid data: Weight of 'Rubbatex' lid 5 lbs (2.26 kgs) approx.



Shelvoke and Drewry Limited

Icknield Way, Letchworth, Hertfordshire Telephone: Letchworth 2234 Telex: 825556

A Butterfield-Harvey Company Specifications subject to alteration without notice Form No 642