



a light sturdy construction

- weight of superstructure approx. 4,540 kg./15 m3
- maximum utilization of front axle
- advantageous utilization of rear axle, even with container loading system
- special steel alloys have been carefully designed into an ingeneous but simple concept the large base gives excellent stability to the slide

smooth ejecting system

- ejecting completed in less than 40 seconds jamming of the ejecting system impossible, due to 1-girder guide design
- maximum opening condition of tail gate,
- without hinder at incinerators full automatic locking and unlocking of tail gate

will accept a comprehensive range of domestic refuse

- · loose household refuse
- light bulky waste
- bins and bags
- household containers of 120, 240 and 330 litres
- containers of 600, 660, 770 and 1,100 litres





the VDK® Speedloader has been designed and built by the engineering and production services of VDK.



system

- press and slide with one cylinder each cylinders not in contact with refuse
- hydraulic pipes, cylinders and pump easily
- ease of operation : one button to start, one emergency stop




fast and efficient operation

- working cycle of + or 14 seconds
 possibility of continuous loading
 minimizing the "chopping knife" effect
 pressplate edge 500 mm from rave rail
 unique safety aspect
 very high compaction achieved
 no bursting refuse

built to customers special requirements

- superstructure available in 2 widths, 2.49 m and 2.17 m
- capacity from 9 m3 to 18 m3
- ideal for all bins and containerised systems up to 1.100 litres
- pump drive at choice of customer i.e. front of engine or power take off
- various options possible





fabrication program

- Dept. waste systems : household refuse collectors and bulky waste collectors
- Dept. industrial engineering : key turn palm oil mills and rendering equipment

service

VDK has a specialised department with highly skilled personnel. A direct connection exists with the engineering.



vandekerckhove n.v. brugse steenweg 374 8800 roeselare - belgium tel. 051/20.59.51 telex VDKBEL 81597